

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1821	(number\$2 integer leter id\$2 identifier\$2 indicator\$2) same ((start begin\$4) and end\$4) near2 tag\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/23 16:40
		"10" and (character\$2 tag\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/25 11:02
		715/513.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/09 13:59
S1	17952	(creat\$4 same (card\$2 (greeting near2 card\$2)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/25 11:02
S2	1050	(edit\$4 delet\$4) near5 (tag\$2 (tag\$2 near5 pair\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/24 10:33
S3	437	((edit\$4 delet\$4) near5 (tag\$2 (tag\$2 near5 pair\$2))) and (distinguish\$4 discriminat\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/24 10:34
S4	156	((edit\$4 delet\$4) near5 (tag\$2 (tag\$2 near5 pair\$2))) and (distinguish\$4 discriminat\$4)) and ((edit\$4 modif\$5) near5 (character\$2 tag\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/24 10:34
S5	3138	(edit\$4 delet\$4 modif\$6) near5 (tag\$2 (tag\$2 near5 pair\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/24 10:34
S6	1310	((edit\$4 delet\$4 modif\$6) near5 (tag\$2 (tag\$2 near5 pair\$2))) and (distinguish\$4 discriminat\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/24 10:34
S7	1310	((edit\$4 delet\$4 modif\$6) near5 (tag\$2 (tag\$2 near5 pair\$2))) and (distinguish\$4 discriminat\$4)) and (character\$2 tag\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/24 10:35
S8	58	((edit\$4 delet\$4 modif\$6) near5 (tag\$2 (tag\$2 near5 pair\$2))) and (distinguish\$4 discriminat\$4)) and (character\$2 tag\$2)) and (edit\$4 near5 document\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/24 12:31

S9	58	(((edit\$4 delet\$4 modif\$6) near5 (tag\$2 (tag\$2 near5 pair\$2))) and (distinguish\$4 discriminat\$4)) and (character\$2 tag\$2)) and (((edit\$4 delet\$4 modif\$6) near5 (tag\$2 (tag\$2 near5 pair\$2))) and (distinguish\$4 discriminat\$4)) and (character\$2 tag\$2)) and (edit\$4 near5 document\$2)) and (tag\$2 anchor\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/24 12:32
S10	1310	(((edit\$4 delet\$4 modif\$6) near5 (tag\$2 (tag\$2 near5 pair\$2))) and (distinguish\$4 discriminat\$4)) and (character\$2 tag\$2)) and (tag\$2 anchor\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/24 13:10
S11	13	(((edit\$4 delet\$4 modif\$6) near5 (tag\$2 (tag\$2 near5 pair\$2))) and (distinguish\$4 discriminat\$4)) and (character\$2 tag\$2)) and (tag\$2 anchor\$2)) and (edit\$4 near5 (character\$2 (character near3 sequence\$2)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/24 12:41
S12	46	(((edit\$4 delet\$4 modif\$6) near5 (tag\$2 (tag\$2 near5 pair\$2))) and (distinguish\$4 discriminat\$4)) and (character\$2 tag\$2)) and (tag\$2 anchor\$2)) and (tag near3 manage\$)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/24 13:06
S13	497	tag\$2 near5 overlap\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/24 13:07
S14	497	(tag\$2 near5 overlap\$4) and tag\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/24 13:07
S15	341	((tag\$2 near5 overlap\$4) and tag\$2) and (edit\$4 modif\$6 delet\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/24 13:07
S16	97	((tag\$2 near5 overlap\$4) and tag\$2) and (edit\$4 modif\$6 delet\$4)) and ((start end) near5 tag\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/24 13:15
S17	45	(((edit\$4 delet\$4 modif\$6) near5 (tag\$2 (tag\$2 near5 pair\$2))) and (distinguish\$4 discriminat\$4)) and (character\$2 tag\$2)) and ((tag\$2 anchor\$2) near5 overlap\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/24 13:10

S18	309	(((((edit\$4 delet\$4 modif\$6) near5 (tag\$2 (tag\$2 near5 pair\$2))) and (distinguish\$4 discriminat\$4)) and (character\$2 tag\$2)) and (tag\$2 anchor\$2)) and ((start end) near5 tag\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/24 15:02
S19	1188	(edit\$4 near5 document\$4) and (tag\$2 anchor\$2) and (start begin\$4 end)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/24 15:04
S20	113	((edit\$4 near5 document\$4) and (tag\$2 anchor\$2) and (start begin\$4 end)) and (character near5 sequence\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/24 16:06
S21	1	"5649218".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 07:56
S22	1	"5649218".pn. and omit\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/24 16:06
S23	1	"5649218".pn. and edit\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 08:01
S24	1	("5649218".pn. and edit\$4) and (tag\$2 character\$2 sequence\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 08:11
S25	0	((prepar\$4 near5 tag\$2) near5 table\$2) same (edit\$4 near5 document\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 08:12
S26	12	((tag\$2 near5 table\$2) same (edit\$4 near5 document\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 08:17
S27	11387	document near4 area\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 08:17
S28	1083	document adj area\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 08:18
S29	104	(document adj area\$2) and (tag\$2 anchor\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 08:18

S30	1	((document adj area\$2) and (tag\$2 anchor\$2)) and (edit\$4 modif\$6 chang\$4)) and (character near5 sequence\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 08:19
S31	104	((document adj area\$2) and (tag\$2 anchor\$2)) and (edit\$4 modif\$6 chang\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 08:22
S32	1082	(overlap\$4 over-lap\$4) near5 (tag\$2 anchor\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 08:24
S33	369	((overlap\$4 over-lap\$4) near5 (tag\$2 anchor\$2)) and table\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 08:24
S34	345	((overlap\$4 over-lap\$4) near5 (tag\$2 anchor\$2)) and table\$2) and (edit\$4 modif\$6 chang\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 08:24
S35	136	((overlap\$4 over-lap\$4) near5 (tag\$2 anchor\$2)) and table\$2) and (edit\$4 modif\$6 chang\$4)) and (character\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 08:55
S36	50	(nonoverlap\$4 non-overlap\$4 (non adj overlap\$4)) near5 (tag anchor\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 08:56
S37	22	((nonoverlap\$4 non-overlap\$4 (non adj overlap\$4)) near5 (tag anchor\$2)) and id	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 08:57
S38	28	((nonoverlap\$4 non-overlap\$4 (non adj overlap\$4)) near5 (tag anchor\$2)) not (((nonoverlap\$4 non-overlap\$4 (non adj overlap\$4)) near5 (tag anchor\$2)) and id)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 09:00
S39	846	(start near5 tag\$2) and (end near5 tag\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 09:01
S40	51	((start near5 tag\$2) and (end near5 tag\$2)) and (assign\$4 near5 (id\$2 identification name\$2 number\$2) near5 tag\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 09:06
S41	765	(assign\$4 near5 (id\$2 identification name\$2 number\$2) near5 (tag\$2 anchor\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 09:07

S42	714	((assign\$4 near5 (id\$2 identification name\$2 number\$2) near5 (tag\$2 anchor\$2))) not (((start near5 tag\$2) and (end near5 tag\$2)) and (assign\$4 near5 (id\$2 identification name\$2 number\$2) near5 tag\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 09:08
S43	12	(((assign\$4 near5 (id\$2 identification name\$2 number\$2) near5 (tag\$2 anchor\$2))) not (((start near5 tag\$2) and (end near5 tag\$2)) and (assign\$4 near5 (id\$2 identification name\$2 number\$2) near5 tag\$2))) and (edit\$4 near5 (tag\$2 anchor\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 09:23
S44	292	(((assign\$4 near5 (id\$2 identification name\$2 number\$2) near5 (tag\$2 anchor\$2))) not (((start near5 tag\$2) and (end near5 tag\$2)) and (assign\$4 near5 (id\$2 identification name\$2 number\$2) near5 tag\$2))) and (character)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 09:26
S45	18	((assign\$4 near5 (id\$2 identification name\$2 number\$2) near5 (tag\$2 anchor\$2))) and (edit\$4 near5 (tag\$2 anchor\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 09:23
S46	6	(((assign\$4 near5 (id\$2 identification name\$2 number\$2) near5 (tag\$2 anchor\$2))) and (edit\$4 near5 (tag\$2 anchor\$2))) not ((((assign\$4 near5 (id\$2 identification name\$2 number\$2) near5 (tag\$2 anchor\$2))) not (((start near5 tag\$2) and (end near5 tag\$2)) and (assign\$4 near5 (id\$2 identification name\$2 number\$2) near5 tag\$2))) and (edit\$4 near5 (tag\$2 anchor\$2)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 09:24
S47	1159	715/513.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 09:26
S48	710	715/513.ccls. and (tag\$2 anchor\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 09:27
S49	316	(715/513.ccls. and (tag\$2 anchor\$2)) and ((id identification identifier number name) near4 (tag\$2 anchor\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 15:55

S50	2	("6526410" "5649218").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 16:37
S51	0	((("6526410" "5649218").pn.) and link\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 15:56
S52	1	"5553216".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 16:12
S53	1	"5553216".pn. and link\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 15:57
S54	1	"5802529".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 16:12
S55	1	"5802529".pn. and link\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 16:15
S56	1	"5745745".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 16:15
S57	0	"5745745".pn. and link\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 16:18
S58	1	"6230173".pn. and link\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 16:18
S59	1	("6526410" "5649218").pn. and format\$\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 16:58
S60	11	(select\$4 near5 (character near3 string\$2)) and (start near5 (tag anchor)) and (end near5 (tag anchor))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/26 08:10
S61	68	(select\$4 near5 character\$2) and (start near5 (tag anchor)) and (end near5 (tag anchor))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/26 08:10

S62	54	((select\$4 near5 character\$2) and (start near5 (tag anchor)) and (end near5 (tag anchor))) and ((id number name identifier identification) near5 (tag anchor))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/26 08:09
S63	17615	"707"/.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/26 08:09
S64	77	((select\$4 highlight) near5 character\$2) and (start near5 (tag anchor)) and (end near5 (tag anchor))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/26 08:11
S65	60	((select\$4 highlight) near5 character\$2) and (start near5 (tag anchor)) and (end near5 (tag anchor))) and table	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/26 08:11
S66	24	((select\$4 highlight) near5 character\$2) and (start near5 (tag anchor)) and (end near5 (tag anchor))) and table and ((id identifier identification number) near5 (tag anchor))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/26 08:12
S67	1230	(number\$2 integer leter) same ((start begin\$4) and end\$4) same tag\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/23 16:38
S68	2115	(number\$2 integer leter id\$2 identifier\$2 indicator\$2) same ((start begin\$4) and end\$4) same tag\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/23 16:40
S69	223	(number\$2 integer leter id\$2 identifier\$2 indicator\$2) same (((start begin\$4) and end\$4) near2 tag\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/24 08:52
S70	29	(number\$2 integer leter id\$2 identifier\$2 indicator\$2) near5 (((start begin\$4) and end\$4) near2 tag\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/23 16:46
S71	18	((number\$2 integer leter id\$2 identifier\$2 indicator\$2) near5 (((start begin\$4) and end\$4) near2 tag\$2)) and unique	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/23 16:47
S72	137	(number\$2 integer leter id\$2 identifier\$2 indicator\$2) same (((start begin\$4) and end\$4) near2 tag\$2) and unique	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/24 15:39
S73	1	"5745745".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/24 12:03

S74	0	"5745745".pn. and "210"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/24 12:03
S75	0	"5745745".pn. and "200"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/24 12:03
S76	1	"5649218".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/24 15:39
S77	0	"5649218".pn. and link\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/24 15:55
S78	1	"6526410".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/24 15:55
S79	0	"6526410".pn. and link\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/24 16:11
S80	2	"5649218".pn. "6526410".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/24 16:11
S81	1	("5649218".pn. "6526410".pn.) and pointer\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/24 16:26
S82	1	"6230173".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/24 16:26
S83	1	"6230173".pn. and unique	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/24 16:26
S84	17400	((unique\$2 id\$2 number\$2 letter\$2) near5 (attach\$4 associat\$4 embed\$4 includ\$4)) same ((start\$4 and end\$4) tag\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/07 17:05
S85	26	((unique\$2 id\$2 number\$2 letter\$2) near5 (attach\$4 associat\$4 embed\$4 includ\$4)) same ((start\$4 and end\$4) near3 tag\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/08 08:54

S86	26	((unique\$2 id\$2 number\$2 letter\$2) near5 (attach\$4 associat\$4 embed\$4 includ\$4)) same ((start\$4 and end\$4) near3 tag\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/08 09:01
S87	24107	(unique\$2 id\$2 number\$2 letter\$2) same (((start\$4 and end\$4) near3 tag\$2) (anchor\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/08 09:02
S88	14512	S87 and @ad<"19990531"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/08 09:02
S89	177	S88 and html	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/08 09:03
S90	3367	707/5, "102".ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/08 13:28
S91	2616	707/102.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/08 13:28
S92	1510	707/5.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/08 13:31
S93	4315	707/100,200.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/08 16:06
S94	1	"6330574".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/08 16:07